



INTRODUCTION TO OCEAN SCIENCES

5th Edition

DOUGLAS A. SEGAR




Introduction to Ocean Sciences

Fifth Edition, Third digital edition ver 5.0

DOUGLAS A. SEGAR

Contributing author Elaine Stamman Segar

© 2024 by Douglas A. Segar



This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

What does this Creative Commons Licence mean? You are free to use the book except that you can not use the book or any part of it for any commercial purpose including personal financial gain without written permission from the author. Uses that require written permission include, but may not be limited to, sale for profit, advertising use, or use as an incentive to purchase any other product. If you transmit or transfer the book to anyone by any means, you must attribute the book by at minimum citing the author, title, and ISBN number. Also, you can not alter, transform, or build on the work.

Most images and artwork contained in the book are copyrighted to the author (or others) and you may not use any of these in any way, except in your use of the book itself, without written permission from the copyright holder.

Library of Congress Cataloging-in-Publication Data

Segar, Douglas A.

Introduction to ocean sciences / Douglas A. Segar with contributions from Elaine Stamman Segar

p. cm.

ISBN: 978-0-9857859-2-5

1.Oceanography. I. Title

Brief Contents

CHAPTER 1	<i>The Ocean Planet</i>	1
CHAPTER 2	<i>History and Importance of Ocean Studies</i>	15
CHAPTER 3	<i>Studying the Oceans</i>	37
CHAPTER 4	<i>Plate Tectonics: Evolution of the Ocean Floor</i>	63
CHAPTER 5	<i>Water and Seawater</i>	93
CHAPTER 6	<i>Ocean Sediments</i>	119
CHAPTER 7	<i>Ocean-Atmosphere Interactions</i>	145
CHAPTER 8	<i>Ocean Circulation</i>	179
CHAPTER 9	<i>Ocean-Atmosphere Interactions</i>	209
CHAPTER 10	<i>Tides</i>	235
CHAPTER 11	<i>Coasts</i>	257
CHAPTER 12	<i>Foundations of Life in the Oceans</i>	287
CHAPTER 13	<i>Coastal Oceans and Estuaries</i>	323
CHAPTER 14	<i>Marine Ecology</i>	355
CHAPTER 15	<i>Ocean Ecosystems</i>	403
CHAPTER 16	<i>Pollution</i>	427
CRITICAL CONCEPTS		455
GLOSSARY		505
APPENDICES		521

Table of Contents

<i>Brief Contents</i>	<i>ii</i>
-----------------------------	-----------

CHAPTER 1

<i>The Ocean Planet</i>	<i>1</i>
-------------------------------	----------

INTRODUCTION.....	1
THE OCEANS AND EARTH'S ENVIRONMENT.....	2
OCEANS AND THE ORIGINS OF LIFE	5
HOW TO STUDY OCEAN DATA	6
Graphs.....	7
Contour Plots and Profiles	7
Maps and Charts.....	9
Scientific Notation and Units.....	12
CHAPTER SUMMARY	13

CHAPTER 2

<i>History and Importance of Ocean Studies</i> ..	<i>15</i>
---	-----------

WHAT IS OCEANOGRAPHY?.....	15
EXPLORATION AND MAPPING.....	16
Prehistory.....	16
Ocean Exploration in Early Civilizations.....	17
<i>The Mediterranean.</i>	17
<i>Micronesia and Polynesia.</i>	17
The Dark Ages and the New Era of Discovery	18
The Birth of Oceanography	19
<i>The Beagle.</i>	19
<i>The Challenger.</i>	20
The Modern Era.....	21
NATIONAL AND INTERNATIONAL LAW APPLIED TO THE OCEANS.....	22
The Truman Proclamation.....	22
“Law of the Sea” Conferences	22
The Law of the Sea Treaty.....	23
Exclusive Economic Zones and extended Continental Shelf Rights	24
The Treaty of the High Seas	25
OCEAN RESOURCES.....	25
Biological Resources	25
Transportation, Trade, and Military Use.....	28
Offshore Oil and Gas	29
Methane Hydrates.....	29
Minerals and Freshwater	31
Recreation, Aesthetics, and Endangered Species	31
Energy	31
Waste Disposal.....	34
CHAPTER SUMMARY	34

CHAPTER 3

<i>Studying the Oceans</i>	<i>37</i>
----------------------------------	-----------

DIFFICULTIES OF STUDYING THE OCEAN ENVIRONMENT.....	38
“Seeing” through Ocean Water	38
Inaccessibility	38
Pressure.....	38
Conductivity, Corrosion, and Fouling.....	39

Wave Motion.....	39
Logistics	39
THE UNSEEN DOMAIN	39
BATHYMETRY	39
Soundings.....	39
Sounding Errors and Problems	40
Echo Sounders.....	41
Wide-Area Echo Sounders	43
Ocean Topography from Satellites	43
SEAFLOOR SEDIMENTS	44
Grab Samplers and Box Corers.....	44
Gravity and Piston Corers	45
Drilling Ships.....	45
Seismic, Magnetic, and Gravity Studies	45
Dredges.....	47
CHEMICAL AND PHYSICAL OCEANOGRAPHY	47
Sampling Bottles.....	47
Avoiding Sample Contamination	48
Determining the Depth of Sampling.....	48
Instrument Probes and Rosette Samplers	49
Measuring Currents.....	49
<i>Drifters, Drogues, and Floats.</i>	50
<i>Mechanical Current Meters.</i>	51
<i>Acoustic Current Meters.</i>	52
SAMPLING LIVING ORGANISMS IN THE SEA	53
Special Challenges of Biological Oceanography	53
Nets, Water Samples, and Traps.....	53
Fragile Organisms.....	54
Migrations and Behavior.....	54
SCUBA, MANNED AND UNMANNED SUBMERSIBLES	55
Scuba and Habitats	55
Manned Submersibles	55
Remotely Operated Vehicles	56
Autonomous Floats and Gliders	57
SATELLITES	58
COMPUTERS AND MODELING	58
CHAPTER SUMMARY	59

CHAPTER 4

<i>Plate Tectonics: Evolution of the Ocean Floor</i>	<i>63</i>
--	-----------

STRUCTURE OF THE EARTH	63
Layered Structure of the Earth	63
Lithosphere, Hydrosphere, and Atmosphere.....	64
Studying the Earth's Interior.....	66
PLATE TECTONICS	66
Driving Forces of Plate Tectonics	67
Spreading Cycles.....	69
PLATE BOUNDARIES	69
CONVERGENT PLATE BOUNDARIES	71
Subduction Zones Next to Continents.....	73
<i>Volcanoes.</i>	73
<i>Exotic Terranes.</i>	73
Subduction Zones at Magmatic Arcs	74
<i>Magmatic Arc Volcanoes.</i>	74
<i>Back-Arc Basins.</i>	75
Collisions of Continents.....	75
DIVERGENT PLATE BOUNDARIES	76
Oceanic Ridges	76

<i>Oceanic Ridge Types</i>	77
<i>Oceanic Ridge Volcanoes</i>	78
Rift Zones.....	78
<i>New Oceans</i>	79
TRANSFORM FAULTS AND FRACTURE ZONES.....	80
HOT SPOTS.....	81
A Lesson about Science.....	82
PLATE INTERIORS.....	84
Oceanic Crust.....	84
Continental Edges.....	85
<i>Passive Margins</i>	85
<i>The Fate of Passive Margins</i>	85
SEA-LEVEL CHANGE AND CLIMATE.....	86
Climate Cycles.....	86
Eustatic Sea-Level Change.....	86
Sea-Level Change and Continental Margin Topography..	88
Isostatic Sea-Level Change.....	88
Sea Level and the Greenhouse Effect.....	88
PRESENT-DAY OCEANS.....	88
Pacific Ocean.....	89
Atlantic Ocean.....	89
Indian Ocean.....	89
Marginal Seas.....	90
CHAPTER SUMMARY.....	90

CHAPTER 5

Water and Seawater..... 93

ORIGINS AND DISTRIBUTION OF THE EARTH'S WATER.....	94
Uniqueness of the Earth.....	94
Distribution of the Earth's Water.....	94
THE WATER MOLECULE.....	94
Atoms and Electrons.....	94
Chemical Bonds between Atoms.....	95
Van der Waals Force and the Hydrogen Bond.....	96
THE DISSOLVING POWER OF WATER.....	96
SOURCES AND SINKS OF CHEMICALS DISSOLVED IN SEAWATER.....	97
Biogeochemical Cycles.....	97
Steady-State Concentrations.....	97
Residence Time.....	98
SALINITY.....	98
DISSOLVED CHEMICALS IN SEAWATER.....	99
Major Constituents.....	99
Minor Constituents.....	100
Trace Elements.....	101
Radionuclides.....	101
Organic Compounds.....	101
Dissolved Gases.....	101
<i>Oxygen and Carbon Dioxide</i>	101
<i>Other Gases</i>	102
pH and Buffering.....	103
HEAT PROPERTIES OF WATER.....	103
Heat Energy and Phase Changes.....	103
Freezing and Boiling Points.....	103
Heat Capacity and Latent Heat.....	104
Implications of the High Heat Capacity and Latent Heats of Water.....	106
Evaporation.....	106
EFFECTS OF PRESSURE, TEMPERATURE, AND DISSOLVED SALTS ON SEAWATER DENSITY.....	106
Pressure.....	107

Temperature.....	107
Dissolved Salts and Density.....	108
Combined Effects of Salinity and Temperature.....	108
ICE FORMATION.....	108
Dissolved Salts and Freezing.....	109
Density of Ice.....	109
SURFACE TENSION AND VISCOSITY.....	109
Surface Tension.....	109
Viscosity.....	110
TRANSMISSION OF LIGHT AND OTHER ELECTROMAGNETIC RADIATION.....	110
Absorption.....	110
Scattering and Reflection.....	111
Refraction.....	113
TRANSMISSION OF SOUND.....	113
Sound Velocity.....	113
Sonar.....	113
Sound Refraction and the Sound Channel.....	113
Acoustic Thermometry.....	115
CHAPTER SUMMARY.....	116

CHAPTER 6

Ocean Sediments..... 119

SEDIMENTS AND BIOGEOCHEMICAL CYCLES.....	119
CLASSIFICATION OF SEDIMENTS.....	120
Classification by Grain Size.....	120
Classification by Origin.....	120
LITHOGENOUS SEDIMENTS.....	120
Transport by Rivers.....	120
Erosion by Glaciers.....	122
Erosion by Waves.....	123
Transport by Winds.....	123
Transport by Landslides.....	124
BIOGENOUS SEDIMENTS.....	124
Regional Variations of Biogenous Particle Production....	126
Dissolution of Biogenous Particles.....	126
Carbonate Compensation Depth.....	127
Anthropogenic Carbon Dioxide and the Carbonate Compensation Depth.....	128
HYDROGENOUS SEDIMENTS.....	128
Hydrothermal Minerals.....	128
Undersea Volcano Emissions.....	129
Manganese Nodules.....	129
Phosphorite Nodules and Crusts.....	130
Carbonates.....	130
Evaporites.....	130
COSMOGENOUS SEDIMENTS.....	131
SEDIMENT TRANSPORT, DEPOSITION, AND ACCUMULATION.....	131
Turbidity Currents.....	132
Accumulation Rates.....	133
CONTINENTAL MARGIN SEDIMENTS.....	134
DISTRIBUTION OF SURFACE SEDIMENTS.....	135
Radiolarian Oozes.....	135
Diatom Oozes.....	136
Calcareous Sediments.....	137
Deep-Sea Clays.....	137
Siliceous Red Clay Sediments.....	137
Ice-Rafted Sediments.....	137
Terrigenous Sediments.....	137
Hydrothermal Sediments.....	137
THE SEDIMENT HISTORICAL RECORD.....	137

Sediment Age Dating.....	138
Diagenesis.....	139
Tectonic History in the Sediments	139
Climate History in the Sediments	139
History of Ocean Acidification and Deoxygenation in the Sediments.....	140
Evidence of Mass Extinctions	140
<i>Investigating a Mass Extinction</i>	140
Evidence of Other Impacts.....	142
CHAPTER SUMMARY	142

CHAPTER 7

Ocean-Atmosphere Interactions..... 145

THE ATMOSPHERE	146
Atmospheric Structure	146
Ozone Depletion	147
WATER VAPOR IN THE ATMOSPHERE	147
Water Vapor and Air Density.....	147
Water Vapor, Convection, and Condensation	148
WATER AND HEAT BUDGETS.....	149
Water Budget.....	149
Heat Budget	150
Latitudinal Imbalance in the Earth's Radiation.....	151
CLIMATIC WINDS.....	151
Climatic Winds on a Nonrotating Earth.....	151
Climatic Winds and the Coriolis Effect.....	152
Seasonal Variations	153
Monsoons	156
CLIMATE AND OCEAN SURFACE WATER PROPERTIES.....	156
Ocean Surface Temperatures	156
Ocean Surface Salinity	157
INTERANNUAL CLIMATE VARIATIONS.....	160
El Niño and the Southern Oscillation.....	160
<i>Symptoms of El Niño.</i>	160
<i>El Niño/Southern Oscillation Sequence.</i>	161
<i>Effects of El Niño.</i>	162
Modeling El Niño	163
El Niño Modoki	163
Other Oscillations	164
Climate Chaos?	164
LAND-OCEAN-ATMOSPHERE INTERACTIONS.....	165
GLOBAL CLIMATE ZONES	165
Ocean Climate Zones.....	165
Land Climate Zones.....	166
WEATHER SYSTEMS	168
High- and Low-Pressure Zones	168
Hurricanes	168
Extratropical Cyclones	171
LOCAL WEATHER EFFECTS	173
Land and Sea Breezes.....	173
Coastal Fog	174
The Island and Mountain Effect.....	174
CHAPTER SUMMARY	175

CHAPTER 8

Ocean Circulation..... 179

ENERGY SOURCES.....	179
WIND-DRIVEN CURRENTS	180
Generation of Currents	180

Restoring Forces and Steering Forces.....	180
EKMAN MOTION	181
The Ekman Spiral.....	181
Pycnocline and Seafloor Interruption of the Ekman Spiral	182
GEOSTROPHIC CURRENTS.....	183
Ekman Transport, Sea Surface Slope, and Pressure Gradient	183
Balance between Pressure Gradient and Coriolis Effect.....	183
Dynamic Topography.....	184
Energy Storage.....	185
OPEN-OCEAN SURFACE CURRENTS	185
Geostrophic Currents on a Water-Covered Earth.....	185
Geostrophic Gyres.....	186
Westward Intensification of Boundary Currents.....	187
EQUATORIAL SURFACE CURRENTS	189
HIGH-LATITUDE SURFACE CURRENTS	189
UPWELLING AND DOWNWELLING	189
Locations of Upwelling and Downwelling	190
Boundary Currents and Upwelling or Downwelling	190
COASTAL CURRENTS	190
EDDIES	192
Satellite Observations of Eddies	192
Mesoscale Eddies.....	192
INERTIAL CURRENTS	194
LANGMUIR CIRCULATION	194
THERMOHALINE CIRCULATION	194
Depth Distribution of Temperature and Salinity	194
Formation of Deep Water Masses.....	197
Locations of Deep Water-Mass Formation	198
Water Masses at Intermediate Depths	199
OCEAN CIRCULATION AND CLIMATE	200
Meridional Overturning Circulation: The Conveyor Belt	200
The MOC Climate Switch	201
TRACING WATER MASSES.....	201
Conservative and Nonconservative Properties.....	203
TS Diagrams	203
Tracers.....	203
CHAPTER SUMMARY	205

CHAPTER 9

Waves..... 209

COMPLEXITY OF OCEAN WAVES.....	209
PROGRESSIVE WAVES	210
WHAT IS WAVE MOTION?	211
Wave Energy.....	211
Restoring Forces.....	211
MAKING WAVES.....	212
Forces That Create Waves.....	212
Wind Waves.....	213
SEA DEVELOPMENT AND WAVE HEIGHT	213
Factors Affecting Maximum Wave Heights	213
Maximum Observed Wave Heights.....	214
Effects of Currents on Wave Height	215
Are Wave Heights Increasing?.....	216
WAVE DISSIPATION.....	216
DEEP-WATER WAVES	217
Wave Trains	218
Wave Interference	219
Wave Dispersion.....	220

WAVES IN SHALLOW WATER.....	221
Interaction with the Seafloor.....	221
Wave Refraction.....	222
Breaking Waves.....	223
Surfing.....	225
Surf Drownings and Rip Currents	226
TSUNAMIS.....	226
INTERNAL WAVES	229
ROSSBY AND KELVIN WAVES	230
STANDING WAVES	230
CHAPTER SUMMARY	232

CHAPTER 10

<i>Tides</i>	235
--------------------	-----

TIDE-GENERATING FORCES	236
Gravity	236
Orbital Motions and Centripetal Force	236
The Balance between Centripetal Force and Gravitational Force.....	237
Distribution of Tide-Generating Forces.....	238
Relative Magnitude of the Lunar and Solar Tide-Generating Forces.....	238
CHARACTERISTICS OF THE TIDES	239
Diurnal, Semidiurnal, and Mixed Tides.....	239
Spring and Neap Tides	241
TIDES ON AN OCEAN COVERED EARTH	242
The Fundamental Equilibrium Tides.....	242
The Origin of Spring and Neap Tides	243
Other Tidal Variations.....	244
TIDES IN THE EARTH'S OCEANS	244
Effects of Continents and Ocean Depth	245
Latitudinal Variation of the Earth's Spin Velocity	245
Coriolis Effect and Amphidromic Systems	246
TIDES IN THE OPEN OCEANS	248
TIDAL CURRENTS	249
Open-Ocean Tidal Currents.....	249
Temporal Variation of Tidal-Current Speeds.....	249
Tidal Currents in Estuaries and Rivers	250
TIDE PREDICTION	252
MARINE SPECIES AND THE RHYTHM OF THE TIDES	252
ENERGY FROM THE TIDES	253
CHAPTER SUMMARY	254

CHAPTER 11

<i>Coasts</i>	257
---------------------	-----

PROCESSES THAT FORM AND MODIFY THE COAST-LINE	257
Formation of Coasts.....	260
Tectonic Processes	260
Landslides	260
Isostatic and Eustatic Sea-Level Changes.....	261
Glaciers	263
River-Borne Sediments.....	263
Biological Processes	263
Modification of the Coast	264
Waves.....	264
Tides.....	266
Winds and Weather.....	267
Vegetation.....	267

BEACHES	268
The Littoral Zone.....	269
Sources of Beach Materials	269
Longshore Drift	270
Wave Sorting of Beach Sands	271
Seasonal Changes in Beach Profiles	273
Beach Slope and Grain Size	273
BARRIER ISLANDS AND LAGOONS	274
Formation of Barrier Islands.....	274
Future of Barrier Islands	275
Development on Barrier Islands.....	275
BEACHES AND HUMAN STRUCTURES.....	276
Seawalls	277
Groins and Jetties.....	278
Harbors	279
CORAL REEFS AND ATOLLS.....	279
WETLANDS.....	280
DELTA'S	281
CHAPTER SUMMARY	282

CHAPTER 12

<i>Foundations of Life in the Oceans</i>	287
--	-----

HOW DO WE DESCRIBE LIFE?	287
PRODUCTION, CONSUMPTION, AND DECOMPOSITION.....	289
Phototrophy	289
Chemosynthesis	289
Secondary Production and Decomposers	290
MICROBES IN CHARGE	291
PHOTOTROPIC PRIMARY PRODUCTION AND LIGHT	292
Phototrophy, Light, and Depth	293
Primary Production and the Ozone Hole	293
PRIMARY PRODUCTION AND NUTRIENTS.....	293
Nutrient Uptake	294
Nutrient Recycling	295
Phosphorus	295
Nitrogen.....	295
Silica	296
Iron	296
High Nutrient Low Chlorophyll (HNLC) Areas	296
Nutrient Transport and Supply	296
Vertical Distribution of Nutrients	298
FOOD WEBS.....	299
GEOGRAPHIC VARIATION IN PRIMARY PRODUCTION.....	299
DISSOLVED OXYGEN AND CARBON DIOXIDE	301
ORGANIC CARBON	302
BIOLOGICAL PROVINCES AND ZONES	303
Benthic Environment.....	303
Pelagic Environment	304
Latitudinal Zones.....	305
PLANKTON	305
Bacteria and Archaea.....	306
Phytoplankton	307
Diatoms	307
Dinoflagellates.....	308
Coccolithophores and Other Types of Phytoplankton	308
Zooplankton	308
Holoplankton	309
Gelatinous Holoplankton.....	310
Meroplankton	311

NEKTON	312
Bony Fishes	312
Sharks and Rays.....	314
Squid and Their Relatives	315
Marine Mammals.....	316
Reptiles.....	318
Birds	318
BENTHOS	318
CHAPTER SUMMARY	318

CHAPTER 13

Coastal Oceans and Estuaries..... 323

SPECIAL CHARACTERISTICS OF THE COASTAL OCEANS	324
Salinity	324
Temperature	325
Waves and Tides.....	326
Turbidity and the Photic Zone.....	326
Currents	326
Nutrients	326
NUTRIENT SUPPLY TO THE COASTAL PHOTIC ZONE	327
Wind-Driven Coastal Upwelling.....	327
Biology of Coastal Upwelling Zones.....	329
Other Mechanisms of Nutrient Supply	331
SEASONAL CYCLES	332
Polar and Subpolar Regions.....	332
Tropical Regions.....	333
Mid Latitudes	334
Phytoplankton Species Succession	334
ALGAL BLOOMS	336
Dinoflagellate and Other Plankton Toxins.....	336
Oxygen Depletion and Dead Zones	337
FISHERIES	339
ESTUARIES	341
Geological Origin of Estuaries	341
Estuarine Circulation	342
Types of Estuarine Circulation	343
<i>Salt Wedge Estuaries.</i>	343
<i>Partially Mixed Estuaries.</i>	345
<i>Well-Mixed Estuaries.</i>	345
<i>Fjord Estuaries.</i>	346
<i>Inverse Estuaries.</i>	346
Particle and Contaminant Transport in Estuaries.....	346
Estuarine Biology	349
Anadromous and Catadromous Species	349
CHAPTER SUMMARY	350

CHAPTER 14

Marine Ecology..... 355

ECOLOGICAL REQUIREMENTS.....	355
HABITATS.....	355
Pelagic Habitat	356
Benthic Epifaunal Habitat	356
Benthic Infaunal Habitat.....	356
Other Ocean Habitats.....	356
FEEDING.....	357
Suspension Feeding	357
Pelagic Suspension Feeders.....	358

Benthic Suspension Feeders.....	359
Surface Grazing	364
Deposit Feeding	365
HUNTING AND DEFENSE.....	367
Speed	368
Lures.....	368
Camouflage and Mimicry.....	370
Concealment	372
Spines and Armor	376
Poisons.....	376
Group Cooperation.....	378
SELECTED ADAPTATIONS IN FISHES	379
Swimming Adaptations.....	379
Adaptations of Fins.....	380
Osmoregulation	383
Swim Bladders and Buoyancy	384
REPRODUCTION.....	384
Separate-Sex Reproduction.....	384
Hermaphroditism.....	385
Asexual Reproduction	385
Egg Laying	385
Timing	388
Migration	389
ASSOCIATIONS.....	392
COMMUNICATION AND NAVIGATION	397
CHAPTER SUMMARY	398

CHAPTER 15

Ocean Ecosystems..... 403

COMMUNITIES AND NICHES.....	404
CORAL REEFS.....	404
Environmental Requirements for Coral Reef Formation.....	404
Factors Affecting Coral Reef Productivity.....	405
Primary Producers in the Coral Reef Community	405
Coral Reef Niches and Topography	406
KELP FORESTS.....	409
Kelp Community Environmental Characteristics	409
Kelp Life Cycle and Communities	411
Kelp, Sea Otters, and Sea Urchins.....	411
ROCKY INTERTIDAL COMMUNITIES	412
Supralittoral Zone.....	412
High-Tide Zone	415
Middle-Tide Zone.....	415
Low-Tide Zone	416
Tide Pools.....	416
SARGASSO SEA.....	416
POLAR REGIONS	417
Special Characteristics of Arctic Marine Environments.....	417
Common Characteristics of Arctic and Antarctic Marine Environments	417
Antarctic Communities.....	418
Arctic Communities	419
Susceptibility to Climate Change	419
HYDROTHERMAL VENTS	421
Hydrothermal Vent Environments.....	421
Biological Communities Associated with Hydrothermal Vents	422
Unanswered Questions about Hydrothermal Vents.....	423
Other Chemosynthetic Communities.....	423
CHAPTER SUMMARY	424

CHAPTER 16

Impacts of Humans on the Oceans 427

POLLUTION VERSUS CONTAMINATION.....	428
Assimilative Capacity	428
ADVERSE EFFECTS OF HUMAN ACTIVITIES	430
Interference with Photosynthesis and Respiration	430
Habitat Alteration	431
Community Structure Alteration	431
Contamination of Food Resources	431
Beach Closures and Aesthetic Losses	432
TOXICITY.....	432
Effects of Toxic Substances on Marine Organisms	433
Evaluating Toxicity	433
Bioaccumulation and Biomagnification	433
Synthetic and Naturally Occurring Toxins	434
WASTE DISPOSAL.....	434
OCEAN POLLUTION ISSUES.....	435
Petroleum.....	435
Sewage	435
Urban and Agricultural Runoff	436
Industrial Effluents	436
Dredged Material.....	438
Plastics and Trash	439
Antifouling Paints	440
Radionuclides	441
Noise	443
Nonindigenous Species.....	443
Habitat Alteration	443
Fishing.....	444
CLIMATE CHANGE, ACIDIFICATION AND DEOXY- GENATION	444
The Oceans and Climate Change	445
Acidification	447
Deoxygenation	447
Climate Change Summary	449
RISK ASSESSMENT AND MANAGEMENT	449
CHAPTER SUMMARY	450

CRITICAL CONCEPTS

Critical Concepts..... 455

CRITICAL CONCEPT 1	
Density and Layering in Fluids.....	455
CRITICAL CONCEPT 2	
Isostasy, Eustasy, and Sea Level	458
CRITICAL CONCEPT 3	
Convection and Convection Cells.....	462
CRITICAL CONCEPT 4	
Particle Size, Sinking, Deposition, and Resuspension	464
CRITICAL CONCEPT 5	
Transfer and Storage of Heat by Water	466
CRITICAL CONCEPT 6	
Salinity, Temperature, Pressure, and Water Density	467
CRITICAL CONCEPT 7	
Radioactivity and Age Dating	468
CRITICAL CONCEPT 8	
Residence Time.....	469

CRITICAL CONCEPT 9	
The Global Greenhouse Effect	471
CRITICAL CONCEPT 10	
Modeling	475
CRITICAL CONCEPT 11	
Chaos.....	477
CRITICAL CONCEPT 12	
The Coriolis Effect	481
CRITICAL CONCEPT 13	
Geostrophic Flow	491
CRITICAL CONCEPT 14	
Phototrophy, Light, and Nutrients	493
CRITICAL CONCEPT 15	
Food Chain Efficiency	496
CRITICAL CONCEPT 16	
Maximum Sustainable Yield	497
CRITICAL CONCEPT 17	
Species Diversity and Biodiversity	499
CRITICAL CONCEPT 18	
Toxicity	500

Glossary..... 505

Appendix 1

Units and Conversion Factors.....521

Appendix 2

Dimensions of the Earth and Oceans.....525


Appendix 3

Classification of Marine Organisms.....526

Appendix 4

Some Milestones in the History of Ocean Study....531

INDEX..... Index 1

*The Ocean Planet***CRITICAL CONCEPTS USED IN THIS CHAPTER****CC5** Transfer and Storage of Heat by Water**CC9** The Global Greenhouse Effect**CC10** Modeling**CC11** Chaos**CC14** Phototrophy, Light, and Nutrients

Why is this map of the world not drawn on a sphere or represented in a rectangular map shape such as we are used to? Why are the continents oddly misshapen? Why are the oceans those odd colors? First, maps of the Earth are made on two-dimensional surfaces. Because they must represent the Earth's continents, which lie on a sphere, they distort the shapes and sizes of the Earth's features. This map is drawn to distort the Earth's surface features in a different way than is done in most of the maps that are familiar to us. Second, the strange colors that shade various areas of the oceans do not represent the color of the ocean surface itself, but instead represent biological productivity. The colors reveal details of the distribution of this property in the oceans.

INTRODUCTION

About half of the world's human population lives within a few tens of kilometers of the oceans. A large proportion of the remainder lives within a few tens of kilometers of a river or estuary that is connected to the oceans. These facts hint at, but do not fully reveal, the importance of the oceans to human civilizations.

In this text, we will explore the fundamental physical, chemical, geological, and biological features and processes of the oceans and review how humans have studied the oceans. We will discuss the range of resources that the oceans provide for us, and the pollution and other impacts that result from human use of the oceans and exploitation of their resources. We will also examine the direct and indirect effects of climate change, not just on human civilization and natural ecosystems but also on the fundamental chemistry of the global ocean that pose a long-term threat of the extinction of many ocean species. After reading this text, you will have a new appreciation for the intimate and intricate linkages between our lives and the oceans. More importantly, you will be equipped to more fully analyze, understand, and evalu-

ate the ever-increasing stream of scientific and popular reports of findings or theories concerning the oceans and the implications of human activities on the oceans.

In recent decades, human interest in the oceans has grown in response to our rapidly deepening knowledge and understanding of the creatures that inhabit the underwater world, especially coral reefs. Scuba diving has become a pastime, avocation, or sport for millions, and millions more are fascinated by video programs that allow them to see the amazing array of ocean life in the comfort of their homes. Ocean aquariums have been built in many cities and attract millions every year. All forms of ocean recreation, not just scuba, have grown explosively. For a large proportion of the planet's population, recreation or vacation pastimes are directed toward the beaches, boating, and other water sports, or to sailing the oceans on cruise ships. On a more somber note, humans are also fascinated and terrified by the death and destruction caused by tsunamis, hurricanes, severe storms, ships sinking or running aground, and sharks. As a result, there is also

much to be learned from this text that is of practical value to each of our lives. For example, after studying this text you will have answers to such questions as

- Why do some say that we know less about the oceans than we do about the moon or the planet Mars?
- Why are the world's active volcanoes located where they are?
- Why does the east coast of the United States have many barrier islands and tidal wetlands (marshes and mangrove swamps), whereas the west coast does not?
- What is a tsunami, and what should I do if I am ever on a beach when one is approaching?
- What is a rip current (rip tide), and how can I survive one?
- What is unique about water, and how do its unique properties affect daily life and our environment?
- What do we need to know about the oceans to understand and predict climate changes?
- Why are fisheries concentrated mostly in coastal zones, and why do some areas of the coastal ocean produce more fish than others?
- Why do most hurricanes that impact North America cross onto land along the shores of the Gulf of Mexico and the southeastern United States rather than along the northeastern Atlantic coast or on the west coast of the United States?
- Is pollution of the oceans by oil spills and industrial discharges as bad as newspaper and other reports often portray it?
- What are the main causes of the widely reported destruction of coral reefs and damage to other ocean ecosystems?
- What is ocean acidification and why is it important?
- What is ocean deoxygenation? What are its causes and consequences?
- Why do many scientists now believe that the planet may now already have entered a new mass extinction of species (we know of at least 5 that have occurred earlier in Earth's 4.6-billion-year history)? What are the long term changes in ocean chemistry contribute to this mass extinction?

Answers to some of the questions listed above may be found in a single section or chapter of this text. However, the oceans are a complex environment in which geology, physics, chemistry, and biology are all linked in intricate ways. As a result, finding answers to many other questions requires fitting together information from several different chapters. You will be reminded numerous times of the interdisciplinary nature of ocean sciences as you study this text.

One particular theme that exemplifies the interdisciplinary nature of ocean sciences is revisited many times throughout this book. This theme concerns what may be the most important scientific questions facing contemporary human society: Is human activity permanently altering the environment in a manner that will ultimately damage or diminish civilization itself? Specifically, will the release of gases from the combustion of fossil fuels alter the oceans and atmosphere in such a way that major changes will occur in the global climate and ecosystems? If so, what do we expect those changes to be?

THE OCEANS AND EARTH'S ENVIRONMENT

Only very recently have we come to realize that humans have already caused profound changes, not just in local environments, but in the global ocean, atmosphere, and terrestrial environments as a whole. We have become aware that too little is known about the global or regional consequences of environmental changes already caused by human activities. Even less is known about the future environmental consequences if our civilization maintains its current pattern of exponential development and growth. The urgent need to assess the unknowns has been felt throughout the environmental-science community. The oceanographic community has been particularly affected, because most global environmental problems involve the oceans and ocean ecosystems, and our knowledge of the oceans is much poorer than our knowledge of the terrestrial realm. Changes in the marine environment caused by human activities are many and varied. They include many forms of pollution (**Chap. 16**) and physical changes in the coastal environment (**Chaps. 11, 13**). Many pieces of informa-




FIGURE 1-1 Change in the concentration of carbon dioxide in the atmosphere since 1880. Data for the smooth part of the curve were obtained from ice cores. Data from 1960 were obtained from direct measurements at Mauna Loa, Hawaii, and show both annual oscillations and a long-term upward trend. The upward trend continues. The rate of increase has been about 3 ppm per year and it is expected to increase as La Nina climate conditions switch to El Nino conditions by winter 2023-2024. In May 2023 the concentration reached a new high of 423.3 ppm. Thus, the concentration is now more than 50% above the pre-industrial concentration of about 280 ppm. The data do not show any significant slow down of the rate of increase due to the COVID-19 pandemic or the emissions reductions of Western nations including the United States..

tion must be obtained by different oceanographic disciplines before human impacts on the ocean can be identified, assessed, and effectively managed. Throughout this text, reference is made to the application of various oceanographic findings, principles, or studies to the practical problems of ocean management. The intent is to facilitate understanding of similar problems reported almost daily in the media.

Among contemporary environmental problems associated with human activities, three related impacts stand out as the most important and complex: global climate change due to enhancement of the greenhouse effect (**CC9**), **acidification** of the oceans (**Chaps. 5,13,16**), and **deoxygenation** of the oceans (**Chaps. 12,13,16**). Each of these problems are caused largely by the release of large quantities of carbon dioxide to the atmosphere, primarily as a result of fossil fuel burning.

A greenhouse is effective at maintaining higher internal temperatures compared to external temperatures because its glass windows allow more of the sun's energy to pass through into the greenhouse than it allows to pass out. The Earth's atmosphere acts in a similar way to control temperatures at the Earth's surface. In the atmosphere, several gases, especially carbon dioxide, function like the glass in a greenhouse. Since the Industrial Revolution, the burning of fossil fuels has steadily increased the concentration of carbon dioxide in the atmosphere (**Fig. 1-1**). The concentrations of other greenhouse gases, such as methane and chlorofluorocarbons, also are increasing as a result of human activities. If there are no other changes to compensate for the consequent increase in greenhouse efficiency, the Earth's temperature will rise. Indeed, many scientists believe that humans have already caused the average temperature of the Earth's lower atmosphere, in which we live, to rise perhaps 1-2 degrees Celsius, and have also predicted that the temperature will rise by an additional several degrees Celsius in the next two to three decades.

If such an increase in the global temperature does indeed occur, it will cause dramatic climate changes throughout the world. These changes are likely to be devastating to agriculture, the environment, and our entire civilization. In addition, if the predicted warming occurs, sea level will rise as a result of thermal expansion of the warmed ocean water and melting of ice from glaciers and polar ice sheets in Greenland and Antarctica. Some experts predict that the sea level will rise a meter or perhaps more during the next several decades. If this happens, large areas of low-lying coastal land will be inundated, and some entire low-lying island chains may disappear entirely.

Much of the carbon dioxide released by fossil fuel burning has been absorbed by the oceans. However, the added carbon dioxide reacts to form a weak acid. Consequently, although ocean waters are still weakly alkaline, the acidity of the oceans is rising. The oceans have been more acid in the ancient past than they are today, but the rate at which acidification is currently taking place is believed to be many times faster than has ever occurred before. Because the rate of acidification is far too fast to allow many species to evolve and adapt to greater acidity, it is anticipated that ocean acidification will result in the extinction of many marine species and a drastic alteration of marine ecosystems. Species that are especially at risk include those that create hard parts (skeletons, shells and other structural materials) of calcium carbonate. These include many of the most important groups of marine organisms such as shellfish and, perhaps more critically,

the **pteropods** that are the base of many marine food chains that provide food for fishes and marine mammals.

The effects of ocean acidification on marine ecosystems are already significant. For example, the acidity of coastal waters of the Pacific North West has risen in recent decades to a level that prevents oyster larvae from growing to maturity. This has significantly affected the large oyster industry in the region. Oysters can only be grown now if the oyster farms can hatch and grow larvae in remote locations such as Hawaii where the water is less acidic or in tanks with controlled **pH** water. The Bering Sea off Alaska is the most acidic part of the world ocean (due to its cold water and high biological productivity). **pH** values of 7.7 have already been observed there and continue to decline. At these low **pH** values, there is strong evidence that the Alaska King Crab population will decline and that populations of the small animals called pteropods, a principal food source for Bering Sea fishes, including salmon, will also decline since the water is too acidic for the pteropods to make their calcium carbonate shells.

There is considerable research underway on ocean acidification and its effects. The research so far shows that acidification will cause major changes in the species composition of marine food chains and is likely to severely damage coral reefs before the end of the century. However, some species that rely on calcium carbonate skeletal material do appear to be capable of adapting to the acidity levels expected to be reached by 2100. Despite the, as yet, incomplete understanding of the effects of rising ocean acidity, what is known to date strongly supports a conclusion that ocean acidification will cause major changes in marine ecosystems within the next few decades. The effects of anthropogenic carbon dioxide emissions on ocean acidity are likely to rival or exceed the adverse effects of climate change in the next several decades. In fact, our understanding of the acidification process suggests that, if ocean ecosystems are not going to change dramatically and likely in ways that are detrimental, humans must not only reduce the amount of carbon dioxide we continue to release to the atmosphere but we must, within the next few decades, actually remove from the atmosphere and ocean much of the carbon dioxide that humans have already discharged.

Widespread deoxygenation of the oceans is a threat that is caused by a combination of climate change and civilization's releases to the oceans of large amounts of nitrogen and phosphorus primarily from agriculture and in treated sewage discharges. This threat is a little complicated as several of the physical, chemical and biological processes that are explained in later chapters of this book are involved. For now, it is important understand a few facts, as follows. The oceans are essentially separated into a warm surface layer and colder deep water. The surface layer water is mixed constantly and is in contact with the atmosphere with which it can exchange gasses so it's oxygen concentration is primarily determined by the atmospheric oxygen concentration. The much thicker deep-water layers below the warm surface layer are colder and mix only slowly with the surface layer (**Fig. 1-2, CCI Chaps. 5, 8**). In the deep-water layer, respiration (which includes microbial decomposition of **detritus**) removes oxygen from the water and replaces it with carbon dioxide (**Fig. 1-2, Chaps. 5, 12**). If water in the deep layers of the oceans was not continuously replaced by oxygenated surface waters, the deep layers would lose all oxygen and would be uninhabitable by life, except for certain microbial species (**Chaps. 12, 13**). However,




FIGURE 1-2 Oxygen concentration in ocean water is controlled by both physical and biological processes. (a) The oceans consist of two main layers, a warm surface layer, and a cold deep layer, with a transition zone called the pycnocline zone between them. (b) Surface layer water is well mixed and in contact with the atmosphere and its oxygen concentration is primarily controlled by gas exchange with the atmosphere. Photosynthesis by marine life in this layer converts carbon dioxide to organic matter and releases oxygen but this is offset by respiration that converts oxygen to carbon dioxide. Respiration also occurs in the deep layer, fueled by animals that migrate vertically or live in the deep and decomposition of organic material (detritus), but there is no photosynthesis and no contact with the atmosphere so respiration continuously consumes oxygen in this deep layer and, therefore the longer the water remains in the deep layers, the less oxygen it contains (c) The deep layer water is continuously replenished by sinking of cold water in some near polar regions and then circulates through the oceans while being slowly mixed upward, eventually into the surface layer again. The pycnocline provides a barrier that inhibits mixing so the upwards mixing process is slow.

surface layer oxygen rich water does sink at certain locations at high latitudes where it is cooled and becomes dense enough to sink. This water moves slowly through the deep oceans, continuously losing oxygen and gaining carbon dioxide due to respiration, then eventually mixes back into the surface layers to be re-oxygenated (Fig. 1-2, Chap 8). This results in a vertical profile of dissolved oxygen concentration with high oxygen concentrations in the surface layer and in the deepest water layers with an oxygen minimum at depths in or just below the pycnocline zone (Fig. 1-2, Chap 8). The concentration of oxygen in the water at this oxygen minimum depth varies from location to location but, in some areas is too low for animal life to survive. Areas that exhibit such low oxygen concentrations are referred to as Oxygen Minimum Zones (OMZ). OMZs are usually found at depths of between about 200 and 1000m (Fig. 1-2, Chap 8) and at least some such oxygen deficient areas are currently expanding.

For many centuries, the balance between supply of oxygen rich water to the deep layers and the rate of respiration by deep layer living organisms has remained such that most of the deep ocean layer water still retains some oxygen upon which most life forms (including all animals) in the modern oceans depend. However, that has not always been true in several episodes of Earth's past when the deep ocean layers were devoid of oxygen.

There are two ways that the deep oceans can lose all their oxygen. This can occur if the rate at which water circulates through the deep oceans is reduced, allowing a longer time for respiration to consume the oxygen, or if the rate at which respiration takes place in the deep oceans increases, or a combination of these. Respiration of living organisms in the deep layers of the oceans is fueled by the decomposition of organic matter (food) just as it is elsewhere. However, since no light penetrates to the deep layer to support **phototrophy** most of the food supply in the deep layers comes from the surface layer, as falling detritus or vertically migrating organisms (Fig. 1-2b). This food supply is limited which

limits the total respiration oxygen loss as water flows through the deep oceans. If the rate of supply of food from the surface layer to the deep ocean water is increased, the additional food supports more deep layer marine life, which means more respiration, and the oxygen concentrations in deep water declines.

The Earth has experienced at least 5 known mass extinctions of species such as the one that occurred when the dinosaurs disappeared (Fig. 1-3). While deoxygenation of the oceans is thought not to have been the sole cause of these extinctions, both acidification and deoxygenation did occur during most of these extinctions and are thought to have contributed to the extinction.

Now we can consider why scientists believe that deoxygenation of the oceans is a major long term threat. First, less oxygen can dissolve in seawater at higher temperatures, so climate warming will reduce oxygen concentrations in the surface layers of the oceans that are in contact with the atmosphere. Second, warming of the oceans is likely to enhance the temperature differences between deep ocean layers and surface layers which will inhibit vertical mixing of the two. Warming of ocean surface waters is also expected to reduce the rate at which cold surface waters sink into the depths. Each of these effects will lengthen the time that ocean water spends out of contact with the atmosphere before returning to the surface layers to exchange gases and re-equilibrate with the atmosphere. Third, warming of the ocean waters, are expected to increase the rate of production of food by phototrophy in the oceans surface layer, which will increase the rate of supply of detritus to the deep layer, accelerating oxygen consumption. Current research indicates that each of these three changes is beginning to occur. Moreover, photosynthetic food production in most of the oceans is limited by the low concentrations of nutrients especially, nitrogen and phosphorus. Humans are releasing large amounts of these nutrients, especially in agricultural runoff and treated sewage wastes. This is also expected to enhance the rate of photosynthesis supported organic matter production and,

in consequence the rate of production of detritus and the rate of loss of oxygen from the deep ocean layers.

Our understanding does not yet allow us to assess with any certainty, the future of ocean acidification and deoxygenation in the global oceans. However, we do have observations of the ecological damage that they can cause in limited regions. For example, as mentioned earlier, acidification of the coastal waters off the west coast of North America has already been observed to have exceeded the ability of oysters to reproduce successfully (**Chaps 5, 16**). Also, there are numerous coastal and estuarine areas, including Chesapeake Bay and the Gulf of Mexico coastal waters west of the Mississippi Delta that experience low or totally depleted oxygen in their deeper water layers (below a shallow **pycnocline**), either periodically or permanently, due primarily to excess anthropogenic nutrients. These areas have been called dead zones because living organisms that can not swim away as these areas lose their oxygen die (**Chaps 13,16**). Also, water from an OMZ in the North Pacific Ocean has periodically encroached on the Oregon continental shelf causing a periodic “dead zone” to appear.

The oceans and atmosphere act together as a complex system that regulates our climate and the concentrations of carbon dioxide and other gases in the oceans and atmosphere. The oceans capture, store and redistribute the sun’s heat energy to the atmosphere (**CC5**) and so the oceans are integral to weather and climate. . Within the ocean–atmosphere system, numerous complicated changes and feedbacks occur as a result of increases in atmospheric concentrations of carbon dioxide and other gases. Some changes would add to the predicted global warming, whereas others would reduce or even negate it. This is also true for ocean acidification and deoxygenation. However, our current understanding of the ocean–atmosphere system is poor, especially those segments of the system that are associated with ocean processes. If we are to be able to predict our future with greater certainty, so that we can take appropriate actions, we must improve our understanding of the oceans.

In addition to studying contemporary ocean processes, oceanographers study the oceans to uncover important information about past changes in the world’s climate. Such historical information, found primarily in ocean seafloor **sediment** and sedimentary rocks, can reveal how the Earth’s climate has changed over tens of millions of years and help us assess how it might change in the future, either as a result of natural changes or as a result of the enhanced greenhouse effect.

Climate change, ocean acidification and deoxygenation are complex processes involving many concepts referenced in the preceding paragraphs. You might ask why they are summarized in this introductory chapter. The reason is simple. Each chapter contains information needed to fully understand how these processes work. If climate change, acidification and deoxygenation continue unchecked, the ultimate likely consequences include global mass species extinction, a far greater threat than the damage that may be caused by any other environmental issue. Keep that in mind as you learn about the oceans and you will realize that what you are learning about is not just science but information about things that are vital to your life and the lives of all other humans and other living creatures. We will return to the subjects of ocean acidification and deoxygenation in **Chap 16** when we discuss human impacts on the oceans. By then you will have learned about the fundamental physical, chemical and

biological processes operating in the oceans and will be able to much better understand how acidification and deoxygenation are developing and that they represent a major long-term threat to both ocean ecosystems and human civilization.

Many important decisions must be made by current and future generations about human use and the protection of our environment. It is important for all of us to participate in these decisions with an understanding of the complexity of the ocean-atmosphere system, and of uncertainties inherent in all scientific studies and predictions of such complex environmental systems (**CC10, CC11**). We must also recognize that science cannot provide definitive answers to even the most intensively studied environmental problems.

OCEANS AND THE ORIGINS OF LIFE

To investigate the origins of life, a number of laboratory studies have attempted to reproduce the conditions thought to exist in the early oceans and atmosphere, including high ultraviolet radiation levels and frequent lightning discharges. Under these conditions, a wide range of organic compounds are created from carbon dioxide, methane, ammonia, hydrogen, and water. The organic compounds formed in these experiments included amino acids, which are considered the most important building blocks of the complex molecules needed for life to exist. However, we do not understand how or know where these building blocks were assembled into the much more complex molecules that were needed to form the first living matter. Several hypotheses have been proposed. The chemical reactions necessary to construct complex molecules may have taken place on the surface of solid particles, or deep within the Earth, or at hydrothermal vents (**Chap. 15**). However, another possible explanation for the origin of these complex compounds is that they first reached the Earth in meteorites.

All life as we know it depends on the transport of chemical elements and compounds within cells, and between cells and the surrounding environment. In all known living organisms, from **archaea** to mammals, these chemical substances are transported dissolved in water. Therefore, water is essential to all life as we know it. As a result, it is not surprising that life appears to have been nurtured and developed in the oceans for most of the billions of years that it has existed on the Earth. Evidence from the fossil record indicates that life has existed on the Earth for a very long time. Although there is evidence that life began much earlier, the first life forms for which we have direct evidence were bacteria-like microorganisms that existed about 3.6 billion years ago (**Fig. 1-3**), which is approximately 1 billion years after the Earth was formed. When the oceans were first formed, about 4.2 billion years ago, the atmosphere consisted mostly of nitrogen, with smaller amounts of carbon dioxide and methane. Because there was no free oxygen in the atmosphere or oceans, it is thought that some of the earliest life forms were similar to the chemosynthetic microbes that are found at present in many isolated environments such as hydrothermal vents and deep within the Earth’s crust (**CC14, Chap. 15**). These environments contain no free oxygen and are often characterized by conditions of extreme temperature and pressure, similar to the conditions that are thought to have existed in the oceans and within Earth’s crust when the oceans were first formed.

If the first organisms did utilize chemical energy to support their energy needs, then at some unknown time the first species




FIGURE 1-3 The history of the Earth. The Earth formed about 4.6 billion years ago. Animals have existed on the Earth for only an extremely brief period of its history. If the age of the Earth were only 1 year, animals would have existed for only 2 months, our species *Homo sapiens* for about 9 minutes, and the science of oceanography for less than a single second. Most actual dates on the figure are expressed as millions of years ago (MYA) and are approximate.

of microorganisms that utilized the sun's light energy developed. These organisms were **phototrophic** (CC14). Early phototrophs probably used hydrogen sulfide as their source of hydrogen, which is needed for building chemical compounds. Later, photosynthetic microorganisms, likely cyanobacteria, developed that were able to split water molecules, using the hydrogen to build their chemical compounds, releasing oxygen in the process. Over a period of time, between about 1 and 2 billion years ago, these photosynthetic organisms changed the composition of the Earth's atmosphere. Oxygen concentrations steadily increased until they reached approximately the 20% now present. This change was fundamental to the development of the majority of living species now on the Earth. As the free oxygen accumulated in the atmosphere, it also reacted with sulfides and other chemical compounds in the oceans that support the life cycles of chemosynthetic species. As a result, chemosynthetic species largely disappeared or became restricted to extreme environments, such as those where they are found today. Furthermore, the free oxygen permitted the development of the animal kingdom. All species of animals depend on respiration using oxygen obtained from their environment.

The oceans and atmosphere reached a steady state (maintaining approximately the same chemical compositions that they have today) approximately 1 billion years ago, and this relative stabil-

ity permitted the development of more complex life forms. The first primitive higher animals were marine invertebrates, perhaps similar to sponges and **jellies** (jellyfish), that developed about 700 million years ago, followed by the first fishes about 500 million years ago (Fig. 1-3). The first plants appeared on land about 500 million years ago, and the first mammals only about 220 million years ago. Humans are latecomers. Hominids (humanlike species) have existed for only about 4 million years—less than one-tenth of 1% of the history of the Earth.

Although the specific environment in which life first developed is not known, clearly the oceans have played a major role in nurturing the development of life on the Earth.

HOW TO STUDY OCEAN DATA

Before we begin to explore the intricacies of the relationships among humans, the oceans, and the environment it is important to review some of the basic tools that oceanographers and other scientists use to describe what they have learned about the Earth and its oceans. Many of those tools will be used in this text, especially various forms of maps, graphical representations of data that vary geographically or with time, and the standard scientific notation for numbers and units of measurement. The remainder of this chapter is devoted to establishing the groundwork for the rest of the book.




FIGURE 1-4 These two bar charts show the same data but use different y-axis ranges. Notice that they give very different impressions about the differences among the three values.

As is true for other sciences, describing what we know about the oceans and ocean processes requires the use of graphs and similar diagrams, and sometimes mathematics. For ocean sciences, we must also be able to represent data in a geographic context, which requires the use of maps or charts. Graphs, diagrams, and maps make it easy to understand certain features of even complex data sets without using mathematics (a goal we have set for this text). However, these visual representations can be properly interpreted only if we understand how a particular graph or map presents, and often distorts, the data. To make it possible for you to properly study and understand the rest of this text, the remainder of this chapter discusses some of the characteristics of graphs and maps that will be utilized extensively in this text. Even if you are a science major and are familiar with science diagrams, you are strongly urged to review this material.

Graphs

Graphs are probably the most widely used form of data presentation in science and elsewhere. They provide a means by which relationships between two or more numbers or properties can be visualized, but they can be extremely misleading unless they are read properly. To understand a graph, you must not only look at the general shape of the line or curve connecting points, or the apparent difference in sizes of bars in a bar chart, for example, but also examine the axes. Two simple examples illustrate why.

In **Figure 1-4**, three simple values that could be, for example, the prices of an item at different stores or the depths of the ther-




FIGURE 1-5 A simple nonlinear relationship is plotted in three different ways to show how logarithmic scales can change the apparent nature of the relationship between the two variables: (a) a linear-linear plot, (b) a log-linear plot, (c) a log-log plot.


mocline at three locations in the ocean are plotted in a simple bar chart. The same data are plotted in both parts of the figure. Why do the plots look so different? In **Fig. 1-4a**, the y-axis (vertical axis) extends from 0 to 250. In **Fig. 1-4b**, the data are “expanded” by plotting on the y-axis only the range from 228 to 240. Items 1, 2, and 3 have nearly the same values, but one plot seems to show that item 3 has a much higher value than items 1 and 2. Have you ever seen this technique used in advertisements or newspaper reports to present data differences in a misleading way?

The second example is a simple nonlinear (**CC10**) relationship between two variables ($x^2 = y$). These variables could be, for example, light intensity and depth, or primary production rate and nutrient concentrations (although the relationships between these pairs of parameters are actually more complicated). Notice that the first plot (**Fig. 1-5a**) shows that y increases more rapidly as x increases, exactly what we would expect from the simple equation. However, the same data in **Figure 1-5b** appear to show the exact opposite (y increases more slowly as x increases). The reason for this difference is that y is plotted as the log of the value. Log plots are commonly used for scientific data, but they may be confusing unless you examine the axis carefully. One of the reasons why log plots are used is illustrated by **Figure 1-5c**. This figure is a plot of the same data as in **Figure 1-5a,b**, but it has a log scale for both variables. The plot is a straight line, revealing a feature of this nonlinear relationship that is often important to scientists.


Contour Plots and Profiles

Contour plots are used to display the two-dimensional spatial distribution of a variable such as atmospheric pressure on weather maps. The variable plotted can be any parameter such as pressure, temperature, soil moisture, vegetation type, or concentration of a substance. Contours of pressure are usually called isobars, temperature contours are isotherms, and density contours are isopycnals.

Contour plots describe the distribution of variables on flat surfaces. In some cases, the plotted variable is actually a measurement of something in the third dimension, perpendicular to the surface on which the plot is drawn. The most common examples are topographic maps that depict the height of the land surface above sea level, and bathymetric maps that depict the depth of the ocean below sea level. Sea level is the flat surface on which the third dimension variable, the height or depth, is plotted. Contours are lines that connect points on the surface that have the same value of the variable. A number of such contour



(a)



(b)



(c)

FIGURE 1-6 Contour plots. These plots reveal areas of higher and lower values of the plotted parameter, identified as H and L. They also indicate the strength of the gradient, which is stronger where adjacent contours are closer to each other. (a) In this example, which is a topographic map, there is a flat plateau at point A, a steep-sided valley at point B, an area of gentle slope at point C, a depression at point D, and a hill or mountain at point E, which has a very steep slope, especially on its right side. (b) Here, the same data are plotted with a greater interval between contours. Unless you examine it carefully, this plot can give the appearance that gradients are not as steep as they appear in part (a). (c) A three-dimensional representation of the topography plotted in parts (a) and (b).

lines are drawn to represent different values of the plotted variable. Often, but not always, the values contoured are spaced at equal intervals of the variable, such as 50 m, 100 m, 150 m, and 200 m above sea level for a topographic map. One very important rule of contouring is that contours of different elevations (or values of any other parameter that is contour plotted) cannot cross or merge with each other. This is because each contour line always follows its own elevation (or parameter value). If the plotted parameter is elevated or depressed (forming hills or depressions) in two or more areas, contours around any two such features must not connect with each other. In addition, unless the feature is at the edge of the plot, contours around each such feature must connect with themselves in a closed loop (Fig. 1-6). Contour lines show the distribution and magnitude of highs and lows of the plotted parameter. In any particular contour plot, high and low features (hills and valleys in a topographic map) that have more contours surrounding them are of greater magnitude than those with fewer surrounding contours. For example, higher hills are depicted by more contours between the sea level and the hilltop than would be present for lower hills. Contours can also reveal the strength of gradients at different points on the plotted surface. Where the contours are closely bunched together, the value of the parameter must change quickly with distance across the surface, and hence the gradient is relatively strong (steep terrain on a topographic map). Conversely, where the contours are spread out, the gradient is relatively weak. The term relatively is important because the number of contours and the intervals between the contours can be different in different plots; even plots of the same data (compare Fig. 1-6a and b).

When you study contour maps, make sure you look at the values on each of the contour lines. They will enable you to see which features are highs and lows and to assess accurately the relative magnitude of gradients at different points on the plot. Many contour plots are now produced by computers, and in some of these, contour lines are not used. Instead, the entire plot is filled with color that varies according to the value of the parameter plotted. Usually the order of colors in the spectrum of visible light is used. Red represents the highest value, grading progressively through orange, yellow, green, and blue to violet, which represents the lowest value. These plots are essentially contour plots that have an infinitely large number of contour lines and in which the range of values between each pair of adjacent contours is represented by a slightly different shade of color. Figures 3-3, 7-11 and 8-15 are good examples. This convention, using the spectrum from red to violet to represent higher values to lower values, is now universally accepted and makes it easy to visually identify the areas of high and low values. Consequently, with a few exceptions made for specific reasons, we have used this convention to color-code the regions between contours in all of the contour plots in this text. Figure 1-6 is an example.

Contour plots are often displayed on cross-sectional profiles. Cross-sectional profiles represent the distributions of properties on slices (cross sections) through, for example, the Earth or an ocean. Oceanographers commonly use cross-sectional profiles that represent a vertical slice through the Earth and oceans. Because the oceans and the Earth's crust through which these vertical profiles are drawn are extremely thin in comparison with the widths of the oceans and continents, these profiles almost always have a large vertical exaggeration. For example, the maximum depth of the oceans is approximately 11 km, whereas their widths




FIGURE 1-7 Most vertical profiles are vertically exaggerated. Topography appears progressively more distorted as the exaggeration increases. The relatively flat topography depicted in this figure looks like extremely rugged mountain chains with very steep slopes when it is plotted at a vertical exaggeration of 100 times. Most oceanographic profiles are plotted with vertical exaggerations greater than 100 times.

are several thousand kilometers. If we were to draw a vertical profile with no vertical exaggeration on a page in this book, an ocean depth of 11 km scaled to 11 cm on the vertical axis would necessitate a diagram that had a width of 1000 cm (more than 50 page widths) for each 1000 km of ocean width plotted. Because this is obviously not possible, the scale on which distance across the ocean is plotted is reduced. This decreases the width of the plot but also produces vertical exaggeration that distorts the data.

Figure 1-7 shows the effects of 10 and 100 times vertical exaggerations of a topographic profile. Most profiles used in ocean sciences have exaggerations greater than 100 to 1. Vertically exaggerated profiles make the gradients of topographic features appear much greater than they really are. Two points are important to remember as you examine vertically exaggerated profiles in this textbook. First, the seafloor topography is much smoother and the slopes are much shallower than depicted in the profiles. Second, ocean water masses are arranged in a series of layers that are very thin in comparison with their aerial extent, and this characteristic is not adequately conveyed by the profiles.

Maps and Charts

The Earth is spherical, and the ideal way to represent its geographic features would be to depict them on the surface of a globe. Although virtual-reality computer displays may eventually make such representation possible, it is currently impractical for

most purposes. Consequently, geographic features of the Earth's surface are almost always represented on two-dimensional maps or charts (chart is the name given to maps that are designed and used for navigation). To represent the spherical surface of the Earth in two dimensions on a map, a projection must be used. A projection consists of a set of rules for drawing locations on a flat piece of paper that represent locations on the Earth's surface. All projections distort geographic information, each in a different way. Several different projections are used in this textbook, and you may see other projections elsewhere.


To draw accurate maps of the Earth, we must relate each location on the Earth's surface to a particular location on the flat map surface. Therefore, we must be able to identify each point on the Earth's surface by its own unique "address." Latitude and longitude are used for this purpose.

In a city, the starting "address" is usually a specific point downtown, and the numbers of streets and of houses on each street increase with distance from that point. On the Earth, there is no center from which to start. However, two points, the North and South Poles, are fixed (or almost so), and the equator can be easily defined as the circle around the Earth equidistant from the two poles. This is the basis for latitude. The equator is at latitude 0° , the North Pole is 90°N , and the South Pole is 90°S . Every location on the Earth other than at the poles or on the equator has a latitude between either 0° and 90°N or 0° and 90°S . Why degrees? **Figure 1-8a** shows that if we draw a circle around the Earth parallel to the equator, the angle between a line from any point on this circle to the Earth's center and a line from the Earth's center to the equator is always the same. If the circle is at the equator, this angle is 0° ; if it is at the pole, the circle becomes a point and this angle is 90° . If the circle is not at the equator or one of the poles, this angle is between 0° and 90° and is either south or north of the equator.

Latitude can be measured without modern instruments. Polaris, the Pole Star or North Star, is located exactly over the North Pole, so at 90°N it is directly overhead. At lower latitudes, Polaris appears lower in the sky until, at the equator, it is on the horizon (at an angle of 90° to a vertical line). In the Northern Hemisphere, we can determine latitude by measuring the angle of the Pole Star to the horizon. In the Southern Hemisphere, no star is directly overhead at the South Pole, but other nearby stars can be used and a correction made to determine latitude. Star angles can be measured accurately with very simple equipment, and the best early navigators were able to measure these angles with reasonable accuracy without instruments.

Latitude is a partial address of a location on the Earth. It specifies only the hemisphere in which the location lies, and that the location is somewhere on a circle (line of latitude) drawn around the Earth at a specific distance from the pole (equivalent to "somewhere on 32nd Street"). The other part of the address is the longitude. **Figure 1-8b** shows that the relative locations of two points on a line of latitude can be defined by measurement of the angle between lines drawn from the Earth's center to each of the locations. This angle is longitude, but it has no obvious starting location. Consequently, a somewhat arbitrarily chosen starting location, the line of longitude (north-south line between the North and South Poles) through Greenwich, England, has been agreed upon as 0° longitude and is known as the "prime meridian."

Longitude is measured in degrees east or west of the prime meridian (**Fig. 1-8b**). Locations on the side of the Earth exactly



(a) Latitude

(b) Longitude

(c) Latitude and longitude

FIGURE 1-8 Latitude and longitude are measured as angles between lines drawn from the center of the Earth to the surface. (a) Latitude is measured as the angle between a line from the Earth's center to the equator and a line from the Earth's center to the measurement point. (b) Longitude is measured as the angle between a line from the Earth's center to the measurement point and a line from the Earth's center to the prime (or Greenwich) meridian, which is a line drawn from the North Pole to the South Pole passing through Greenwich, England. (c) Lines of latitude are always the same distance apart, whereas the distance between two lines of longitude varies with latitude.

opposite the prime meridian can be designated as either 180°E or 180°W . All other locations are between 0° and 180°E or between 0° and 180°W . Longitude is not as easy to measure as latitude, because there is no fixed reference starting point and no star remains overhead at any longitude as the Earth spins. The only way to measure longitude is to accurately fix the time difference between noon (sun directly overhead) at the measurement location and noon at Greenwich. The Earth rotates through 360° in 24 hours, so a 1-hour time difference indicates a 15° difference in longitude. To determine longitude, the exact time (not just the time relative to the sun) must be known both at Greenwich and at the measurement location. Before radio was invented, the only way to determine the time difference was to set the time on an accurate clock at Greenwich and then carry this clock to the measurement location. Consequently, longitude could not be measured accurately until the invention of the chronometer in the 1760s.

Latitude and longitude lines provide a grid system that specifies any location on the Earth with its own address and enables us to draw maps. Before we look at these maps, notice that 1° of latitude is always the same length (distance) wherever we are on the Earth, but the distance between lines of longitude is at a maximum at the equator and decreases to zero at the poles (**Fig. 1-8c**).

Figure 1-9a is the familiar map of the world. This representation of the Earth's features is a Mercator projection, which is used for most maps. For the Mercator projection, the lines of latitude and longitude are drawn as a rectangular grid. This grid distorts relative distances and areas on the Earth's surface. The reason is that, on the Earth, the distance between two lines of longitude varies with latitude (**Fig. 1-9c**), but the Mercator projection shows this distance as the same at all latitudes. Furthermore, the Mercator shows the distance between lines of latitude to be greater at high latitudes than near the equator, even though on the Earth's surface they are the same.

Why, then, has the Mercator projection been used for so long? The answer is that it preserves one characteristic that is important

to travelers: on this projection, the angle between any two points and a north–south line can be used as a constant compass heading to travel between the points. However, the constant-compass-heading path is not the shortest distance between the two points. The shortest distance is a great-circle route. A great circle is a circle around the full circumference of the Earth. The Mercator projection suggests that the “direct” route between San Francisco and Tokyo is almost directly east to west. However, the normal flight path for this route is almost a great-circle route that passes very close to Alaska and the Aleutian Islands. You can see the great-circle route and why it is the shortest distance by stretching a piece of string between these two cities on a globe. Over short distances the compass-direction route and the great-circle route are not substantially different in distance, and the simplicity of using a single unchanging compass heading makes navigation easy. Ships and planes now use computers to navigate over great-circle routes that require them to fly or sail on a continuously changing compass heading.

Although the Mercator projection is very widely used, other projections preserve different characteristics of the real spherical world. The following four characteristics would be useful to preserve in a map projection:

- **Relative distances.** Measured distance between any two points on the map could be calculated by multiplying by a single scale factor. Most projections do not preserve this characteristic.
- **Direction.** Compass directions derived from the straight lines between points on the map could be used for navigation. The Mercator projection preserves this characteristic.
- **Area.** Two areas of the same size on the Earth would be equal in area on the map. The Mercator projection is one of many projections that do not preserve this characteristic.
- **Shape.** The general shape of the oceans and land masses on a map would be similar to the shapes of these features on the globe. Most projections do not preserve this characteristic. Because no projection (only a globe) preserves all four of

FIGURE 1-9 Typical map projections. (a) Mercator projection. Note that the map is cut off, so the higher latitudes near 90°N and 90°S are not shown. The reason is that the shape and area distortions introduced by this projection increase rapidly with latitude near the poles. (b) Goode's interrupted projection. This projection preserves relative areas and shows each of the oceans without interruption. However, it distorts the shapes of the continents. (c) Robinson projection. This projection preserves none of the four desirable characteristics perfectly, but it is a good approximation for many purposes.






TABLE 1.1 Characteristics of Selected Map Projections

Projection	Preserves Relative Distances	Preserves Directions	Preserves Relative Areas	Preserves Shape	Areas Most Distorted	Common Uses
Mercator	Poor	Excellent	Poor	Fair	Mid to high latitudes	Navigation charts, world maps, maps of limited areas
Miller's cylindrical	Good	Good	Excellent	Poor	High latitudes	World maps
Robinson	Good	Fair	Good	Fair	High latitudes, 4 "corners"	World maps
Mollweide	Good	Fair	Good	Poor	High latitudes, 4 "corners"	World maps
Goode's interrupted	Good	Poor	Very good	Poor in most areas	Relative positions of continents	World maps, global oceans
Conic	Good	Excellent	Very good	Excellent	Distortion equally distributed	Maps of the U.S., individual continents
Polar azimuthal	Fair	Excellent	Good/poor	Good	Outer edges	Maps of polar regions

these characteristics, different projections are used for different purposes. In this textbook, for example, a Goode's interrupted projection (Fig. 1-9b) is used often because it preserves relative areas correctly and shows each of the three major oceans uninterrupted by the edge of the map. Other projections, such as the Robinson projection (Fig. 1-9c), are also used in this textbook. The projection used for each map is identified in each figure.

Table 1-1 lists the relative ability of each of these projections to satisfy the four desirable map characteristics described here.

Always consider the characteristics of a projection when you examine a map. For example, compare the sizes of Greenland and South America in parts (a) and (b) of **Figure 1-9**. The Mercator projection exaggerates the relative size of Greenland, which the Goode's interrupted projection preserves. Generations have grown up thinking that Greenland is much bigger than it is, thanks to the Mercator projection.

Scientific Notation and Units

Some of the numbers mentioned in this chapter have been very large. For example, the history of the Earth presented in **Figure 1-3** spans nearly 5 billion (5,000,000,000) years. On that figure, the abbreviation MYA was used to represent millions of years ago. In ocean sciences, such large numbers are common, as are very small numbers. For example, the concentration of lead in seawater is about 0.000,000,000,5 gram per kilogram of water. In order to avoid using long strings of zeros, scientists use a type of shorthand for numbers like these. For example, the age of the universe is $5 \cdot 10^9$ years, and the concentration of lead in seawater is $5 \cdot 10^{-10}$ grams per kilogram.

These numbers might look odd, but they are really quite simple. The numbers are written with powers of 10. The \cdot symbol can be stated as "to the power of," and the superscript number represents the number of orders of magnitude (factors of 10) by which the first digit must be multiplied. Thus, $5 \cdot 10^9$ is 5 to the power of 9 factors of 10 (the number is multiplied by 1 and nine zeros are added, which gives 5,000,000,000). The number is said

to be raised by 9 orders of magnitude (powers of 10). Similarly, $5 \cdot 10^{-10}$ is 5 to the power of negative 10 (the number is multiplied by 0.000,000,000,1, which gives 0.000,000,000,5). Notice that the negative sign in the superscript part of the scientific notation denotes the number of powers of 10 by which the number is reduced. When a number has more than one nonzero digit, such as 5,230,000,000, the scientific notation is $5.23 \cdot 10^9$. Notice that this shorthand system makes it easy to compare two very large or two very small numbers. In our example, it is easy to see that $5 \cdot 10^9$ and $5.23 \cdot 10^9$ are not very different without having to count all the zeros. This text makes extensive use of scientific notation. Appendix 1 provides a simple conversion table, if you need it.

Like other scientists, oceanographers use a variety of scientific units to identify such parameters as length, speed, time, and so on. To avoid problems with unit conversions, such as miles to kilometers, and to make the comparison of data easier, scientists have developed an International System of Units (abbreviated SI) that is steadily progressing toward being used universally, although some other units are still widely used. There are only seven base units:

- Length: meter, symbol m
- Mass: kilogram, symbol kg
- Time: second, symbol s
- Electric current: ampere, symbol A
- Thermodynamic temperature: kelvin, symbol K
- Amount of a substance: mole, symbol mol
- Luminous intensity: candela, symbol cd

All other units are "derived" units. For example, volume is measured in cubic meters, or m^3 , and speed is measured in meters per second (m/s or $m \cdot s^{-1}$). SI units are used in much of this text. However, as is still common in science, they are not used exclusively, because some of them are, as yet, unfamiliar even to many members of the scientific community. Appendix 1 includes more information about SI units and a table of all scientific unit abbreviations used in this text.

In this text, we use simple SI units to express concentrations

of chemicals dissolved in water, for example grams per kilogram ($\text{g}\cdot\text{kg}^{-1}$) or milligrams per kilogram ($\text{mg}\cdot\text{kg}^{-1}$). However, you may see on the web or in other publications concentrations expressed in **molality** or **molarity**. Molality is simply the concentration of the dissolved substance in grams of dissolved substance per kilogram ($\text{g}\cdot\text{kg}^{-1}$) divided by the molecule weight of the dissolved substance. Similarly molarity is expressed in grams of dissolved substances per liter ($\text{g}\cdot\text{l}^{-1}$). Dividing the mass of a substance by its molecular weight gives you the amount of substance in “moles” a unit that is related to the number of molecules of the substance present - so 1 mole of a substance has exactly the same number of molecules as 1 mole of any other substance. Chemists use molality or molarity because it can make certain calculations simpler. For example, seawater contains about $19.8 \text{ g}\cdot\text{kg}^{-1}$ of chlorine, present as the chloride ion (Cl^-) ion and about $10.78 \text{ g}\cdot\text{kg}^{-1}$ of sodium as the sodium ion (Na^+). This looks like it is a lot more chloride ion than sodium ion but, if we convert these to molality (by dividing each number by the molecular weight of the ion - about 35 for the chloride ion and 23 for the sodium ion, we find that chloride concentration in seawater is 0.55 molal and sodium is 0.47 molal - much closer. In fact, if seawater contained only dissolved sodium chloride these molarity numbers would be the same so we know that 0.08 moles (0.55-0.47) of other positive ions such as potassium (K^+) and calcium (Ca^{2+}) must be present in seawater. In this example, molality (or molarity) is an expression of the number of atoms of sodium or chlorine. If we wanted to make sodium chloride from chlorine and sodium we would need to add 1 mole of each to get 1 mole of sodium chloride, simpler to calculate than adding 35.5 g of chlorine and 22.99 g of sodium as we would have to do otherwise. With molecules that are more complex than sodium chloride this simplification becomes even much more valuable.

CHAPTER SUMMARY

Introduction.

The oceans influence our daily lives in many different ways. Understanding how they affect us requires an interdisciplinary approach that includes knowledge of the geology, physics, chemistry, and biology of the oceans and of how these aspects interact.

Most of the world's population lives near the oceans or a river that connects to the oceans. The oceans provide many resources, especially food and transportation corridors, but they are also susceptible to pollution, habitat damage, and other impacts of human activities. Recreational uses of the oceans and awareness of the unique nature of marine ecosystems and species have grown explosively in the past several decades.

The Oceans and Earth's Environment

Humans have altered Earth's environment in a number of ways. The most important of these has almost certainly been deforestation and use of fossil fuels that has raised the atmospheric concentration of carbon dioxide from about 280 ppm prior to the industrial revolution (ca. 1750) to over 420 ppm in 2023. The rate at which this concentration has risen has accelerated and is now about 3 ppm per year. Three impacts of this rise in atmospheric carbon dioxide, climate change, ocean acidification and ocean deoxygenation together are the most serious long-term threats to Earth's environment as a result of human populations. Each of these threatens to cause disruption of global ecosystems that will include species disruptions and, taken together, they pose the risk of a mass extinction. Climate change also threatens to impact

humans directly in a number of adverse ways including increasing the severity and probably the rate of occurrence of extreme weather events, rising sea level, and increased coastal erosion. Climate is controlled by the atmosphere and oceans working together in complex ways. Ocean processes and related atmospheric processes are the subject of this text. Understanding these complex interactions is the key to understanding the oceans and the future of climate change, acidification and deoxygenation.

Oceans and the Origins of Life.

Many organic compounds probably were formed in the early oceans, but it is not known how these simple compounds became much more complex to create the first life form. However, it is thought that early life was found predominantly in the oceans. The first life for which we have evidence was bacteria-like, existed about 4.2 billion years ago, and must have been chemosynthetic, as there was no oxygen in the early atmosphere. Eventually microorganisms developed that used photosynthesis, which splits water into hydrogen (which is utilized by the organism in its metabolism) and oxygen (which is released). Between about 1 and 2 billion years ago, photosynthetic organisms added oxygen to the atmosphere until it reached its current concentration of about 20%. Chemosynthetic organisms either died out or were restricted to limited oxygen-free environments, and species developed that depended on respiration using oxygen from their environment. Today, all species of animals and most other species respire and need oxygen in their environment. The first primitive higher animals, invertebrates such as sponges, appeared about 700 million years ago. Fishes developed about 510 million years ago. The first land plants and mammals developed about 500 and 200 million years ago, respectively.

How to Study Ocean Data.

Maps and charts are used extensively to display ocean science data. Each graph, map, or chart may represent data in a different way using different distortions of the real world. Graphs may have axes that do not start at zero or are nonlinear. The choice of axis can substantially change how the same set of data is perceived at first glance.

Contour plots are used extensively to represent the distribution of properties on a two-dimensional surface, such as the Earth's surface. The relative distance between two contours on a contour plot is a measure of the gradient in the property, but the absolute distance can be affected by the choice of contour interval. Most contour plots in this text are color-shaded between the contours. Red always represents the highest value of the parameter plotted, grading through the spectrum to blue as the lowest value.

Maps and charts are used to represent horizontal distributions. Profiles are vertical cross sections through the Earth or the oceans and generally display contours to show the vertical distribution of properties. Most profile plots in this text are greatly vertically exaggerated. This exaggeration is necessary because the depth of the oceans, or the thickness of the atmosphere or the Earth's crust, are extremely small compared to the width of the oceans or land masses.

The Earth is spherical, and a system of latitude and longitude has been developed to identify specific locations on this sphere. Latitude is referenced to the circle around the Earth at the equator, which is designated as 0° latitude. Other latitudes are expressed by the angle between a line from the Earth's center

to the location in question and a line from the Earth's center to the equator. There are 90° of latitude; the North Pole is at 90°N and the South Pole at 90°S. Longitude is referenced to the prime meridian, a line designated as 0° that is drawn through the North and South Poles and that passes through Greenwich, England. Locations on the continuation of that same circle connecting the poles on the side of the Earth away from Greenwich are designated as both longitude 180°W and 180°E. Other longitudes lie between 0° and either 180°W or 180°E, and they are determined by the angle and direction between a line drawn between the Earth's center and the prime meridian and a line between the Earth's center and the specific location. One degree of latitude is the same distance regardless of the latitude or longitude. The distance represented by 1° of longitude varies from a maximum at the equator to zero at the poles.

Maps and charts must represent the spherical surface of the Earth or oceans in only two dimensions. No two-dimensional projection can correctly maintain relative distances, compass directions, relative areas, and the proper shape of features on a sphere. Therefore, all maps and charts distort one or more of these characteristics. The Mercator projection, which is the most widely used in atlases, depicts the distance between degrees of longitude as the same, regardless of latitude. Thus, this projection preserves the relative directions between locations, but it distorts all three of the other relationships. The distortion is not important in regional maps of low latitudes, but it becomes greater at high latitudes and for global maps. Ocean scientists and this text use a variety of other projections for specific purposes. For example, Goode's interrupted projection is often used because it generally preserves relative areas and distances and it can be drawn to represent all the major oceans without having to split them at the edge of the map.

To represent very large or very small numbers, scientists use a scientific notation based on powers of 10. A standard system of scientific units (SI) is now in place and is becoming more widely used, but it is not yet universal. Both scientific notation and SI units are used extensively in this text.

KEY TERMS

You should recognize and understand the meaning of all terms that are in boldface type in the text. All those terms are defined in the Glossary. The following are some less familiar key scientific terms that are used in this chapter and that are essential to know and be able to use in classroom discussions or exam answers.

acidification	isobar
bathymetric	isopycnal
chronometer	isotherm
chemosynthetic	longitude
contour	latitude
crust	photosynthetic
deoxygenation	pycnocline
detritus	respiration
fossil	steady state
greenhouse effect	stratification
invertebrates	topographic

STUDY QUESTIONS

1. What causes a greenhouse effect?
2. Why weren't the first living organisms capable of photosynthesis?
3. What are the essential things to look at the first time you

study a graph?

4. What information can we get from studying a contour plot?
5. What is vertical exaggeration in a profile?
6. Are lines of longitude parallel to each other?
7. What are the four characteristics we would like a map projection to preserve?
8. On a Mercator projection map of the world, which countries or areas appear larger than they really are compared to other areas on the map?

CRITICAL THINKING QUESTIONS

1. We are concerned that the Earth's climate may change because of the increase in atmospheric carbon dioxide concentration that has resulted from human activities over the past century or more. It has been suggested that, since trees absorb carbon dioxide and release oxygen, we can solve the problem by replanting forests and planting many more trees in our urban areas. If we were to plant trees wherever they would grow on the entire planet, would this be enough to reverse the trend of increasing carbon dioxide concentration in the atmosphere? Explain the reasons for your answer. If you are not able to answer this question, what information would you need to do so?
2. A number of developing nations, especially those in Africa and South America, have suggested that world maps used in all textbooks and atlases should use a projection other than the Mercator projection. What do you think is their reason for this suggestion?

CRITICAL CONCEPTS REMINDERS

- CC5** Transfer and Storage of Heat by Water: The heat properties of water are a critical element in maintaining a climate on Earth that is suitable for life as we know it.
- CC9** The Global Greenhouse Effect: Perhaps the greatest environmental challenge faced by humans is the prospect that major climate change may be an inevitable result of our burning of fossil fuels. The burning of fossil fuels releases carbon dioxide and other gases into the atmosphere, where they accumulate and act like the glass of a greenhouse retaining more of the sun's heat.
- CC10** Modeling: Complex environmental systems, including the oceans and atmosphere, can best be studied by using conceptual and mathematical models.
- CC11** Chaos: The nonlinear nature of many environmental interactions makes complex environmental systems behave in sometimes unpredictable ways. It also makes it possible for these changes to occur in rapid, unpredictable jumps from one set of conditions to a completely different set of conditions.
- CC14** Phototrophy, Light, and Nutrients: Chemosynthesis and phototrophy (which included photosynthesis) are the processes by which simple chemical compounds are made into the organic compounds of living organisms. The oxygen in Earth's atmosphere is present entirely as a result of photosynthesis.

CREDITS

Chapter opener SeaWiFS/NASA;

This textbook is made available as an open source textbook to avoid the high costs associated with commercial publishing. The textbook would sell through a publisher as an eBook for about \$100 of which the author would receive only about 10%.

The costs of producing the text are entirely borne by the author. There is no obligation for anyone to pay anything for this text. However, if you find the text valuable and choose to, you may donate by clicking the Donate button below. The suggested donation is \$10 (what the author would receive if sold for \$100 through a publisher) but even a single dollar will help keep the book available for others.